




Hush


Products


 net / gross weight
  volume of assembled product – m3 / volume of crates – m3
  number of crates.


Hush Meet Open					
					
[W x D x H]			Ref. No.		
Product: 2150 x 1390 x H2300 Crate: 2250 x 1745 x 1240			HUS-BX-010		
			Net: 480 kg Gross: 590 kg	Product: 6.87 Crate: 4.9	1

Hush Meet Open S					
					
[W x D x H]			Ref. No.		
Product: 2150 x 900 x H2300 Crate: 2250 x 1240 x 1242			HUS-BX-011		
			Net: 400 kg Gross: 530 kg	Product: 4.45 Crate: 3.5	1


HUSH Work					
					
[W x D x H]		Ref. No.			
Product: 1600 x 1200 x H2300 Crate: 2250 x 1500 x 1160		HUS-BX-009			
			Net: 450 kg Gross: 550 kg	Product: 4.41 Crate: 3.9	1

Hush Work sit&stand					
					
[W x D x H]		Ref. No.			
Product: 1600 x 1200 x H2300 Crate: 2250 x 1500 x 1160		HUS-BX-016			
			Net: 460 kg Gross: 560 kg	Product: 4.41 Crate: 3.9	1

HUSH Phone					
					
[W x D x H]			Ref. No.		
Product: 1000 x 900 x H2230 Crate: 2255 x 740 x 1150			HUS-BX-018		
			Net: 330 kg Gross: 425 kg	Product: 1.98 Crate: 198.5	1

HUSH Meet					
					
[W x D x H]			Ref. No.		
Product: 2150 x 1390 x H2300 Crate: 2250 x 1745 x 1240			HUS-BX-008		
			Net: 685 kg Gross: 805 kg	Product: 6.87 Crate: 4.9	1

Hush Meet S



[W x D x H]

Product: 2150 x 900 x H2300
Crate: 2250 x 1240 x 1242

Ref. Np.

HUS-BX-008




Net: 530 kg
Gross: 630 kg

Product: 4.45
Crate: 3.5

1

Hush Meet L 2



[W x D x H]

Product: 2600 x 1800 x H2300
Crate: 2690 x 990 x 890
+ 2250 x 1130 x 1160

Ref. No.

HUS-BX-012




Net: 775 kg
Gross: 990 kg

Product: 10.76
Crate: 2.37 + 2.95

2

Hush Meet L 3



[W x D x H]

Ref. No.

Product: 2600 x 2700 x H2300
Crate: 2690 x 990 x 890
+ 2250 x 1130 x 1160
+ 2690 x 990 x 890

HUS-BX-012 + 1 x HUS-BX-13




Net: 1000 kg
Gross: 1400 kg

Product: 16.14
Crate: 2.37 + 2.95 + 2.37

3

Hush Meet L 4



[W x D x H]

Ref. No.

Product: 2600 x 3600 x H2300
Crate: 2690 x 990 x 890
+ 2250 x 1130 x 1160
+ 2690 x 990 x 890
+ 2690 x 990 x 890


HUS-BX-012 + 2 x HUS-BX-13




Net: 1225 kg
Gross: 1745 kg


Product: 21.52
Crate: 2.37 + 2.95 + 2.37 + 2.37


4


Stool			
			
[H]		Ref. No.	
Product: 630 -> 880		HUS-HO-001	
		Net: 8 kg Gross: 10 kg	1


Hush Twin			
			
[W x D x H]		Ref. No.	
Product: 2150 x 900 x H2300 Crate: 2250 x 1240 x 1242		HUS-BX-019	
		Net: 613 kg Gross: 700 kg	Product: 4.45 Crate: 3.5
			1


Green Wall S			
			
[W x D x H]		Ref. No.	
Product: 640 x 221 x 2212 Package: 1240 x 680 x 420		HUS-PG-002	
		Net:42 kg	1 package
		Gross: 45 kg	

Green Wall P			
			
[W x D x H]		Ref. No.	
Product: 640 x 221 x 2148 Package: 1240 x 680 x 420		HUS-PG-003	
		Net:40 kg	1 package
		Gross: 45 kg	

Green Wall M			
			
[W x D x H]		Ref. No.	
Product: 1110 x 221 x 2212 Package: 1240 x 1130 x 420		HUS-PG-001	
		Net: 69 kg	1 package
		Gross: 76 kg	

Conference table L2			
			
[W x D x H]		Ref. No.	
Product: 1200 x 1200 x 735 Package desk: 1230 x 1230 x 40 Package table leg: 720 x 500 x 90		HUS-SW-001	
		Net: 33 kg	2 packages
		Gross: 36 kg	





Conference table L3			
			
[W x D x H]		Ref. No.	
Product: 1800 x 1200 x 735 Package desk: 1830 x 1230 x 40 Package table leg: 720 x 500 x 90		HUS-SW-002	
		Net: 58 kg	3 packages
		Gross: 61 kg	





Conference table L4			
			
[W x D x H]		Ref. No.	
Product: 2400 x 1200 x 735 Package desk: 2430 x 1230 x 40 Package table leg: 720 x 500 x 90		HUS-SW-003	
		Net: 62 kg	3 packages
		Gross: 66 kg	


Weights and loads of products

Product name	Ref. No.	Net weight	UOM	Net load	UOM	Number of levelling feet	Number of feet transmitting load	Net pressure of one foot	UOM
hushPhone	HUS-BX-018	320	kg	3139,2	N	4	3	122	N/cm ²
hushMeet	HUS-BX-008	660	kg	6474,6	N	12	9	84	N/cm ²
hushMeet.S	HUS-BX-017	495	kg	4855,95	N	8	6	94	N/cm ²
hushMeet.open	HUS-BX-010	520	kg	5101,2	N	12	9	66	N/cm ²
hushMeet.open.S	HUS-BX-011	375	kg	3678,75	N	8	6	71	N/cm ²
hushWork	HUS-BX-009	425	kg	4169,25	N	9	7	69	N/cm ²
hushWork.sit&stand	HUS-BX-016	445	kg	4365,45	N	9	7	72	N/cm ²
hushTwin	HUS-BX-019	525	kg	5150,25	N	8	6	100	N/cm ²
hushMeet.L (2)	HUS-BX-012	775	kg	7602,75	N	24	18	49	N/cm ²
hushMeet.L (3)	HUS-BX-012 + 013	1125	kg	11036,25	N	36	27	47	N/cm ²
hushMeet.L (4)	HUS-BX-012 + 2x013	1470	kg	14420,7	N	48	36	46	N/cm ²

Technical parameters

Hush Phone	Hush Meet Open	Hush Meet Open S	HUSH Work/ Hush Work Sit&Stand	HUSH Meet
				
The active ventilation with 2 fans in the ceiling with performance of 140 m³/h each, run by a motion sensor with adjustable delay. The ventilation work's volume at the level of 41 dB. Lighting power 3.2W/147 lm Colour of light – 3000K Maximum Power consumption of the product: 7 W Length of the power cable – 3,6 m method of releasing the cable – bottom and top	Hush Meet Open: Lighting power 19,2W/1940 lm Hush Meet Open S: Lighting power 11,5W/1160 lm Colour of light – 3000K Intensity of light adjusted by Independent, manual smooth rotary knobs Maximum Power consumption of the product: Hush Meet Open – 21 W Hush Meet Open S – 14 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom and top	The active ventilation with 4 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. The ventilation work's volume at the level of 42 dB. Lighting power 17W/1550 lm Colour of light – 3000K with adjustable intensity Maximum Power consumption of the product: 42 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom and top	The active ventilation with 6 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. The ventilation work's volume at the level of 39 dB. Lighting power 19,2W/1940 lm Colour of light – 3000K with adjustable intensity. Maximum power consumption of the product: 49.5 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom and top	

Hush Meet S 	Hush Meet L2 	Hush Meet L 3 	Hush Meet L 4 
The active ventilation with 4 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. The ventilation work's volume at the level of 42 dB. Lighting power 11,5W/1160 lm Colour of light – 3000K with adjustable intensity. Maximum Power consumption of the product: Hush Meet S – 20 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom and top	The active ventilation with 8 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. The ventilation work's volume at the level of 39 dB. Lighting power 27W/2700 lm Colour of light – 3000K with adjustable intensity. Maximum Power consumption of the product: 65 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom and top	The active ventilation with 12 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. The ventilation work's volume at the level of 39 dB. Lighting power 41,4W/4200 lm Colour of light – 3000K with adjustable intensity Maximum Power consumption of the product: 70 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom and top	The active ventilation with 16 fans in the ceiling with performance of 100 m³/h each, run by a presence sensor. Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs. The ventilation work's volume at the level of 42 dB. Lighting power 55,8W/5700 lm Colour of light – 3000K with adjustable intensity. Maximum Power consumption of the product: 75 W Length of the power cable – 3,6 m Length of the RJ45 cat.5 cable – 0,8 m method of releasing the cable – bottom top



Hush Twin



Green Wall

Two independent spaces with the active ventilation with 6 (3 per side) fans in the ceiling with performance of 100 m³/h each, run by a presence sensor.

Intensity of light and ventilation adjusted by independent, manual smooth rotary knobs.

The ventilation work's volume at the level of 39,5 db.

Lighting power 6,4W/284 lm
Colour of light – 3000K with adjustable intensity.

Maximum Power consumption of the product: 30 W

Length of the power cable – 3,6 m

Length of the RJ45 cat.5 cable – 0,8 m
method of releasing the cable – bottom and top

Electronic, manually activated plant irrigation system.

Length of the cable: 1,5 m

Maximum Power consumption of the product: 36 W

Water tank capacity

PG-001 - 41 litres
PG-002/003 - 29 litres

Suggested plant pot diameter: 9-11 cm

A number of pots for plants in the Green Wall panel:

Green wall M (PG-001): 90

Green wall S (PG-002): 45

Green wall P (PG-003): 42


Logistics recommendations

- unloading with a forklift
- transport to a building or inside building using a pallet truck or transport platform


Hardware recommendations

- handles for carrying glass
- pallet truck or transport platform


Dimensions




Hush Phone




Hush Work




Hush Meet




Hush Meet Open




Hush Meet Open S




Hush Meet L 2




Hush Meet L 3




Hush Meet L 4




Hush Work Sit&Stand



Hush Meet S




Stool




Hush Twin


Ventilation scheme




Hush Phone




Hush Work/ Work Sit&Stand




Hush Meet



Hush Meet L








Hush Meet S











Hush Twin

Available colours



FABRIC

FABRIC									
HAITI FABRIC									
									
TMH	TBH	TUH	TFH	TPH	TRH	TGH	TNH	TZH	THH
									
TGH	TDH								



FABRIC									
PETRUS FABRIC									
									
TMT	TCS	TER	TWN	TAG	TGA	TKI	TNX	TNT	TCE
									
TDM	TDK								

FABRIC									
WOOL FABRIC									
									
TIV	TCA	TBI	TDU	THE	THI	TSI	TPE	TGR	TON
									
TLI	TWO	TTE	TFI	TFU	TPL	TEG	TIN	TEM	TCL
									
TPC	TRC	TST	TMS	TSN	TTM	TSG	TJA	TOR	THY


DECORS

		
White ABB	Dusted Grey ASP	Cosmos Grey AGC


BACK GLASS COLOURS

	
Clear PRZ	White MGA

LACQUERED FRAME (leg)



Cosmos Grey JGC

LACQUER SHELVES


White JBM

LACQUERED FRAME

(floor) HUSH MEET / WORK /MEET OPEN / MEET OPEN S / MEET L/ MEET S/ WORK SIT&STAND/ HUSH TWIN

	
White JBS	Cosmos Grey JGC